


Data Visualization with ggplot2 :: CHEAT SHEET



Basics

ggplot2 is based on the **grammar of graphics**, the idea that you can build every graph from the same components: a **data** set, a **coordinate system**, and geoms—visual marks that represent data points.



To display values, map variables in the data to visual properties of the geom (**aesthetics**) like **size**, **color**, and **x** and **y** locations.



Complete the template below to build a graph.

```
ggplot (data = <DATA>) +
  <GEOM_FUNCTION> (mapping = aes(<MAPPINGS>),
  stat = <STAT>, position = <POSITION>) +
  <COORDINATE_FUNCTION> +
  <FACET_FUNCTION> +
  <SCALE_FUNCTION> +
  <THEME_FUNCTION>
```

↑ required
Not required, sensible defaults supplied

ggplot(data = mpg, **aes**(x = cty, y = hwy)) Begins a plot that you finish by adding layers to. Add one geom function per layer.

aesthetic mappings **data** **geom**

qplot(x = cty, y = hwy, data = mpg, geom = "point") Creates a complete plot with given data, geom, and mappings. Supplies many useful defaults.

last_plot() Returns the last plot

gsave("plot.png", **width** = 5, **height** = 5) Saves last plot as 5' x 5' file named "plot.png" in working directory. Matches file type to file extension.

Geoms

Use a geom function to represent data points, use the geom's aesthetic properties to represent variables. Each function returns a layer.

GRAPHICAL PRIMITIVES

- a <- ggplot(economics, aes(date, unemploy))
b <- ggplot(seals, aes(x = long, y = lat))
- a + geom_blank()**
(Useful for expanding limits)
- b + geom_curve(aes(yend = lat + 1, xend = long + 1), curvature = 1)** - x, xend, y, yend, alpha, angle, color, curvature, linetype, size
- a + geom_path(lineend = "butt", linejoin = "round", linemitre = 1)** - x, y, alpha, color, group, linetype, size
- a + geom_polygon(aes(group = group))** - x, y, alpha, color, fill, group, linetype, size
- b + geom_rect(aes(xmin = long, ymin = lat, xmax = long + 1, ymax = lat + 1))** - xmax, xmin, ymax, ymin, alpha, color, fill, linetype, size
- a + geom_ribbon(aes(ymin = unemploy - 900, ymax = unemploy + 900))** - x, ymax, ymin, alpha, color, fill, group, linetype, size

LINE SEGMENTS

common aesthetics: x, y, alpha, color, linetype, size

- b + geom_abline(aes(intercept = 0, slope = 1))**
- b + geom_hline(aes(yintercept = lat))**
- b + geom_vline(aes(xintercept = long))**
- b + geom_segment(aes(yend = lat + 1, xend = long + 1))**
- b + geom_spoke(aes(angle = 1:1155, radius = 1))**

ONE VARIABLE continuous

- c <- ggplot(mpg, aes(hwy)); c2 <- ggplot(mpg)
- c + geom_area(stat = "bin")** - x, y, alpha, color, fill, linetype, size
- c + geom_density(kernel = "gaussian")** - x, y, alpha, color, fill, group, linetype, size, weight
- c + geom_dotplot()** - x, y, alpha, color, fill
- c + geom_freqpoly()** - x, y, alpha, color, group, linetype, size
- c + geom_histogram(binwidth = 5)** - x, y, alpha, color, fill, linetype, size, weight
- c2 + geom_qq(aes(sample = hwy))** - x, y, alpha, color, fill, linetype, size, weight

discrete

- d <- ggplot(mpg, aes(f1))
- d + geom_bar()** - x, alpha, color, fill, linetype, size, weight

TWO VARIABLES

continuous x , continuous y

- e <- ggplot(mpg, aes(cty, hwy))
- e + geom_label(aes(label = cty), nudge_x = 1, nudge_y = 1, check_overlap = TRUE)** - x, y, label, alpha, angle, color, family, fontface, hjust, lineheight, size, vjust

- e + geom_jitter(height = 2, width = 2)** - x, y, alpha, color, fill, shape, size

- e + geom_point()** - x, y, alpha, color, fill, shape, size, stroke

- e + geom_quantile()** - x, y, alpha, color, group, linetype, size, weight

- e + geom_rug(sides = "bl")** - x, y, alpha, color, linetype, size

- e + geom_smooth(method = lm)** - x, y, alpha, color, fill, group, linetype, size, weight

- e + geom_text(aes(label = cty), nudge_x = 1, nudge_y = 1, check_overlap = TRUE)** - x, y, label, alpha, angle, color, family, fontface, hjust, lineheight, size, vjust

discrete x , continuous y

- f <- ggplot(mpg, aes(class, hwy))

- f + geom_col()** - x, y, alpha, color, fill, group, linetype, size

- f + geom_boxplot()** - x, y, lower, middle, upper, ymax, ymin, alpha, color, fill, group, linetype, shape, size, weight

- f + geom_dotplot(binaxis = "y", stackdir = "center")** - x, y, alpha, color, fill, group

- f + geom_violin(scale = "area")** - x, y, alpha, color, fill, group, linetype, size, weight

discrete x , discrete y

- g <- ggplot(diamonds, aes(cut, color))

- g + geom_count()** - x, y, alpha, color, fill, shape, size, stroke

THREE VARIABLES

- seals\$z <- with(seals, sqrt(delta_long^2 + delta_lat^2)); l <- ggplot(seals, aes(long, lat))

- l + geom_contour(aes(z = z))** - x, y, z, alpha, colour, group, linetype, size, weight

continuous bivariate distribution

- h <- ggplot(diamonds, aes(carat, price))
- h + geom_bin2d(binwidth = c(0.25, 500))** - x, y, alpha, color, fill, linetype, size, weight

- h + geom_density2d()** - x, y, alpha, colour, group, linetype, size

- h + geom_hex()** - x, y, alpha, colour, fill, size

continuous function

- i <- ggplot(economics, aes(date, unemploy))

- i + geom_area()** - x, y, alpha, color, fill, linetype, size

- i + geom_line()** - x, y, alpha, color, group, linetype, size

- i + geom_step(direction = "hv")** - x, y, alpha, color, group, linetype, size

visualizing error

- df <- data.frame(grp = c("A", "B"), fit = 4:5, se = 1:2)
- j <- ggplot(df, aes(grp, fit, ymin = fit - se, ymax = fit + se))

- j + geom_crossbar(fatten = 2)** - x, y, ymax, ymin, alpha, color, fill, group, linetype, size

- j + geom_errorbar()** - x, ymax, ymin, alpha, color, group, linetype, size, width (also **geom_errorbarh()**)

- j + geom_linerange()** - x, ymin, ymax, alpha, color, group, linetype, size

- j + geom_pointrange()** - x, y, ymin, ymax, alpha, color, fill, group, linetype, shape, size

maps


- data <- data.frame(murder = USArrests\$Murder, state = tolower(rownames(USArrests)))
- map <- map_data("state")
- k <- ggplot(data, aes(fill = murder))

- k + geom_map(aes(map_id = state), map = map)** + **expand_limits(x = map\$long, y = map\$lat)**, map_id, alpha, color, fill, linetype, size

Stats

An alternative way to build a layer

A stat builds new variables to plot (e.g., count, prop).



Visualize a stat by changing the default stat of a geom function, `geom_bar(stat="count")` or by using a stat function, `stat_count(geom="bar")`, which calls a default geom to make a layer (equivalent to a geom function). Use `..name..` syntax to map stat variables to aesthetics.




```

c + stat_bin(binwidth = 1, origin = 10)
x, y | ..count.., ..ncount.., ..density.., ..ndensity..
c + stat_count(width = 1) x, y, | ..count.., ..prop..
c + stat_density(adjust = 1, kernel = "gaussian")
x, y, | ..count.., ..density.., ..scaled..
e + stat_bin_2d(bins = 30, drop = T)
x, y, fill | ..count.., ..density..
e + stat_bin_hex(bins=30) x, y, fill | ..count.., ..density..
e + stat_density_2d(contour = TRUE, n = 100)
x, y, color, size | ..level..
e + stat_ellipse(level = 0.95, segments = 51, type = "t")
l + stat_contour(aes(z = z)) x, y, z, order | ..level..
l + stat_summary_hex(aes(z = z), bins = 30, fun = max)
x, y, z, fill | ..value..
l + stat_summary_2d(aes(z = z), bins = 30, fun = mean)
x, y, z, fill | ..value..
f + stat_boxplot(coef = 1.5) x, y | ..lower.,.
..middle.,. upper.,. width.., .ymin.,. ymax..
f + stat_ydensity(kernel = "gaussian", scale = "area") x, y |
..density.., ..scaled.., ..count.., ..n.,. violinwidth.., ..width..
e + stat_ecdf(n = 40) x, y | ..x.,. y..
e + stat_quantile(quantiles = c(0.1, 0.9), formula = y ~ log(x), method = "rq") x, y | ..quantile..
e + stat_smooth(method = "lm", formula = y ~ x, se=T, level=0.95) x, y | ..se.,. x.,. y.,. ymin.,. ymax..
ggplot() + stat_function(aes(x = -3:3), n = 99, fun = dnorm, args = list(sd=0.5)) x | ..x.,. y..
e + stat_identity(na.rm = TRUE)
ggplot() + stat_qq(aes(sample=1:100), dist = qt, dparam=list(df=5)) sample, x, y | ..sample.., ..theoretical..
e + stat_sum() x, y, size | ..n.,. prop..
e + stat_summary(fun.data = "mean_cl_boot")
h + stat_summary_bin(fun = "mean", geom = "bar")
e + stat_unique()
  
```

Scales

Scales map data values to the visual values of an aesthetic. To change a mapping, add a new scale.



GENERAL PURPOSE SCALES

Use with most aesthetics

- `scale_*_continuous()` - map cont' values to visual ones
- `scale_*_discrete()` - map discrete values to visual ones
- `scale_*_identity()` - use data values as visual ones
- `scale_*_manual(values = c())` - map discrete values to manually chosen visual ones
- `scale_*_date(date_labels = "%m/%d"), date_breaks = "2 weeks"` - treat data values as dates.
- `scale_*_datetime()` - treat data x values as date times. Use same arguments as `scale_x_date()`. See `?strptime` for label formats.

X & Y LOCATION SCALES

Use with x or y aesthetics (x shown here)

- `scale_x_log10()` - Plot x on log10 scale
- `scale_x_reverse()` - Reverse direction of x axis
- `scale_x_sqrt()` - Plot x on square root scale


COLOR AND FILL SCALES (DISCRETE)



COLOR AND FILL SCALES (CONTINUOUS)



SHAPE AND SIZE SCALES



Coordinate Systems

`r <- d + geom_bar()`

`r + coord_cartesian(xlim = c(0, 5))`
The default cartesian coordinate system

`r + coord_fixed(ratio = 1/2)`
Cartesian coordinates with fixed aspect ratio between x and y units

`r + coord_flip()`
Flipped Cartesian coordinates


`r + coord_polar(theta = "x", direction=1)`
theta, start, direction
Polar coordinates

`r + coord_trans(ytrans = "sqrt")`
xtrans, ytrans, limx, limy
Transformed cartesian coordinates. Set xtrans and ytrans to the name of a window function.

`π + coord_quickmap()`
`π + coord_map(projection = "ortho", orientation=c(41, -74, 0))`
projection, xlim, ylim
Map projections from the mapproj package
(mercator (default), aequalarea, lagrange, etc.)

Position Adjustments



Position adjustments determine how to arrange geoms that would otherwise occupy the same space.



Each position adjustment can be recast as a function with manual `width` and `height` arguments

`s + geom_bar(position = position_dodge(width = 1))`

Themes



Faceting

Facets divide a plot into subplots based on the values of one or more discrete variables.

`t <- ggplot(mpg, aes(cty, hwy)) + geom_point()`

`t + facet_grid(cols = vars(f1))`
facet into columns based on f1

`t + facet_grid(rows = vars(year))`
facet into rows based on year

`t + facet_grid(rows = vars(year), cols = vars(f1))`
facet into both rows and columns

`t + facet_wrap(vars(f1))`
wrap facets into a rectangular layout

Set `scales` to let axis limits vary across facets

`t + facet_grid(rows = vars(drv), cols = vars(f1), scales = "free")`
x and y axis limits adjust to individual facets

"`free_x`" - x axis limits adjust

"`free_y`" - y axis limits adjust

Set `labeler` to adjust facet labels

`t + facet_grid(cols = vars(f1), labeler = label_both)`

fl: c fl: d fl: e fl: p fl: r

`t + facet_grid(rows = vars(f1), labeler = label_bquote(alpha ^ .(f1)))`

$\alpha^c \quad \alpha^d \quad \alpha^e \quad \alpha^p \quad \alpha^r$

Labels

`t + labs(x = "New x axis label", y = "New y axis label", title = "Add a title above the plot", subtitle = "Add a subtitle below title", caption = "Add a caption below plot", <AES> = "New <AES> legend title")`

`t + annotate(geom = "text", x = 8, y = 9, label = "A")`

geom to place manual values for geom's aesthetics

Legends

`n + theme(legend.position = "bottom")`
Place legend at "bottom", "top", "left", or "right"

`n + guides(fill = "none")`
Set legend type for each aesthetic: colorbar, legend, or none (no legend)

`n + scale_fill_discrete(name = "Title", labels = c("A", "B", "C", "D", "E"))`
Set legend title and labels with a scale function.

Zooming

Without clipping (preferred)

`t + coord_cartesian(xlim = c(0, 100), ylim = c(10, 20))`

With clipping (removes unseen data points)

`t + xlim(0, 100) + ylim(10, 20)`

`t + scale_x_continuous(limits = c(0, 100)) + scale_y_continuous(limits = c(0, 100))`