

# Study Guide: Data Visualization with R

Afshine AMIDI and Shervine AMIDI

August 21, 2020

## General structure




□ **Overview** – The general structure of the code that is used to plot figures is as follows:



```
R
ggplot(...) +           # Initialization
  geom_function(...) +  # Main plot(s)
  facet_function(...) + # Facets (optional)
  labs(...) +           # Legend (optional)
  scale_function(...) + # Scales (optional)
  theme_function(...)   # Theme (optional)
```

We note the following points:

- The `ggplot()` layer is mandatory.
- When the data argument is specified inside the `ggplot()` function, it is used as default in the following layers that compose the plot command, unless otherwise specified.
- In order for features of a data frame to be used in a plot, they need to be specified inside the `aes()` function.

□ **Basic plots** – The main basic plots are summarized in the table below:


| Type         | Command                               | Illustration                                                                        |
|--------------|---------------------------------------|-------------------------------------------------------------------------------------|
| Scatter plot | <code>geom_point(x, y, params)</code> |  |
| Line plot    | <code>geom_line(x, y, params)</code>  |  |
| Bar chart    | <code>geom_bar(x, y, params)</code>   |  |

| Type     | Command                                 | Illustration                                                                        |
|----------|-----------------------------------------|-------------------------------------------------------------------------------------|
| Box plot | <code>geom_boxplot(x, y, params)</code> |  |
| Heatmap  | <code>geom_tile(x, y, params)</code>    |  |

where the possible parameters are summarized in the table below:

| Command  | Description                      | Use case |
|----------|----------------------------------|----------|
| color    | Color of a line / point / border | 'red'    |
| fill     | Color of an area                 | 'red'    |
| size     | Size of a line / point           | 4        |
| shape    | Shape of a point                 | 4        |
| linetype | Shape of a line                  | 'dashed' |
| alpha    | Transparency, between 0 and 1    | 0.3      |

□ **Maps** – It is possible to plot maps based on geometrical shapes as follows:



The following table summarizes the main commands used to plot maps:

| Category            | Action                                       | Command                                |
|---------------------|----------------------------------------------|----------------------------------------|
| Map                 | Draw polygon shapes from the geometry column | <code>geom_sf(data)</code>             |
| Additional elements | Add and customize geographical directions    | <code>annotation_north_arrow(1)</code> |
|                     | Add and customize distance scale             | <code>annotation_scale(1)</code>       |
| Range               | Customize range of coordinates               | <code>coord_sf(xlim, ylim)</code>      |

□ **Animations** – Plotting animations can be made using the `gganimate` library. The following command gives the general structure of the code:

R

```
# Main plot
ggplot() +
  ... +
  transition_states(field, states_length)

# Generate and save animation
animate(plot, duration, fps, width, height, units, res, renderer)
anim_save(filename)
```

### Advanced features

□ **Facets** – It is possible to represent the data through multiple dimensions with facets using the following commands:

| Type              | Command                                                                  | Illustration |
|-------------------|--------------------------------------------------------------------------|--------------|
| Grid<br>(1 or 2D) | <code>facet_grid(<br/>  row_var ~ column_var<br/>)</code>                |              |
| Wrapped           | <code>facet_wrap(<br/>  vars(x1, ..., xn),<br/>  nrow, ncol<br/>)</code> |              |

□ **Text annotation** – Plots can have text annotations with the following commands:

| Command                                                                        | Illustration |
|--------------------------------------------------------------------------------|--------------|
| <code>geom_text(<br/>  x, y, label,<br/>  hjust, vjust<br/>)</code>            |              |
| <code>geom_label_repel(<br/>  x, y, label,<br/>  nudge_x, nudge_y<br/>)</code> |              |

□ **Additional elements** – We can add objects on the plot with the following commands:

| Type      | Command                                                    | Illustration |
|-----------|------------------------------------------------------------|--------------|
| Line      | <code>geom_vline(<br/>  xintercept, linetype<br/>)</code>  |              |
|           | <code>geom_hline(<br/>  yintercept, linetype<br/>)</code>  |              |
| Curve     | <code>geom_curve(<br/>  x, y, xend, yend<br/>)</code>      |              |
| Rectangle | <code>geom_rect(<br/>  xmin, xmax, ymin, ymax<br/>)</code> |              |

### Last touch

□ **Legend** – The title of legends can be customized to the plot with the following command:


R

```
plot + labs(params)
```

where the params are summarized below:

| Element                      | Command                                         |
|------------------------------|-------------------------------------------------|
| Title / subtitle of the plot | <code>title = 'text' / subtitle = 'text'</code> |
| Title of the $x$ / $y$ axis  | <code>x = 'text' / y = 'text'</code>            |
| Title of the size / color    | <code>size = 'text' / color = 'text'</code>     |
| Caption of the plot          | <code>caption = 'text'</code>                   |

This results in the following plot:



□ **Plot appearance** – The appearance of a given plot can be set by adding the following command:

| Type            | Command                      | Illustration |
|-----------------|------------------------------|--------------|
| Black and white | <code>theme_bw()</code>      |              |
| Classic         | <code>theme_classic()</code> |              |
| Minimal         | <code>theme_minimal()</code> |              |
| None            | <code>theme_void()</code>    |              |

In addition, `theme()` is able to adjust positions/fonts of elements of the legend.

*Remark: in order to fix the same appearance parameters for all plots, the `theme_set()` function can be used.*

□ **Scales and axes** – Scales and axes can be changed with the following commands:

| Category  | Action                               | Command                                                                                             |
|-----------|--------------------------------------|-----------------------------------------------------------------------------------------------------|
| Range     | Specify range of x / y axis          | <code>xlim(xmin, xmax)</code><br><code>ylim(ymin, ymax)</code>                                      |
| Nature    | Display ticks in a customized manner | <code>scale_x_continuous()</code><br><code>scale_x_discrete()</code><br><code>scale_x_date()</code> |
| Magnitude | Transform axes                       | <code>scale_x_log10()</code><br><code>scale_x_reverse()</code><br><code>scale_x_sqrt()</code>       |

*Remark: the `scale_x()` functions are for the x axis. The same adjustments are available for the y axis with `scale_y()` functions.*

□ **Double axes** – A plot can have more than one axis with the `sec.axis` option within a given scale function `scale_function()`. It is done as follows:

R

```
scale_function(sec.axis = sec_axis(~ .))
```

□ **Saving figure** – It is possible to save figures with predefined parameters regarding the scale, width and height of the output image with the following command:

R

```
ggsave(plot, filename, scale, width, height)
```