

Comparison of SCILAB Syntax and Functions to MATLAB[®]

By

Gilberto E. Urroz, Ph.D., P.E.

Distributed by

 *infoClearinghouse.com*

©2001 Gilberto E. Urroz
All Rights Reserved

SCILAB documents at InfoClearinghouse.com:

[Introduction to Scilab](#)

[Programming with SCILAB](#)

[Graphics with Scilab](#)

[Vector Operations with SCILAB](#)

[Matrices and Linear Algebra with SCILAB](#)

[Matrix Operations with SCILAB](#)

[Matrix Applications with SCILAB](#)

[Solving Non-linear Equations with SCILAB](#)

[Applications of Non-linear Equations with SCILAB](#)

[Numerical Integration Using SCILAB](#)

[Data Fitting and Interpolation with SCILAB](#)

[Ordinary Differential Equations with SCILAB](#)

[Orthogonal Functions, Gaussian Quadrature and Fourier Analysis with SCILAB](#)

[Partial Differential Equations with SCILAB](#)

[Optimization Techniques with SCILAB](#)

[Basic Statistics and Probability with SCILAB](#)

[Random Variables with SCILAB](#)

[Probability Distributions with SCILAB](#)

[Statistical Inference with Scilab](#)

[Regression Analysis with SCILAB](#)

[Time Series and Spatial Data Analysis with SCILAB](#)

[Comparison of SCILAB Syntax and Functions to MATLAB](#)

A "zip" file containing all of the programs in this document (and other SCILAB documents at InfoClearinghouse.com) can be downloaded at the following site:

http://www.engineering.usu.edu/cee/faculty/gurro/Software_Calculators/Scilab_Docs/ScilabBookFunctions.zip

The author's SCILAB web page can be accessed at:

<http://www.engineering.usu.edu/cee/faculty/gurro/Scilab.html>

Please report any errors in this document to: gurro@cc.usu.edu

COMPARING SCILAB AND MATLAB®	2
Functions	2
Comment lines	2
Variables	2
Strings	2
Boolean variables	2
Polynomials	3
Empty matrices	3
Plotting	3
Scicos	3
A table of Matlab® and SCILAB equivalent functions	3
SCILAB functions that emulate Matlab® functions	4
Graphics functions with <i>mtlb_</i> prefix	5
Function <i>mtlb_mesh</i>	7

Comparing SCILAB and Matlab®

If the reader has previously used Matlab®, he or she would notice that the operation and, in many instances, the syntax, of SCILAB commands are very similar to those of Matlab®. Some of the information presented in this chapter is taken from the SCILAB web page:

<http://www-rocq.inria.fr/scilab/>

It is intended as a guideline highlighting the differences between SCILAB and Matlab®. The differences are presented according to the subjects of functions, comment lines, strings, Boolean variables, polynomials, operations on empty matrices, plotting, and SCICOS (SCILAB's system simulation software).

Functions

Functions in SCILAB are not considered as separate files, such as Matlab® m-files, but as variables in the SCILAB environment. One or several user-defined functions can be defined in a single file, and the name of the file is not necessarily related to the name of the function(s). Also, the function(s) are not automatically loaded into SCILAB, as they are in Matlab® after their name is invoked. Usually you have to execute the command `getf("function_name")` before being able to use a function.

Functions can also be defined on-line (referred to as *inside functions*) by using the command `deff`. Many examples of the use of `getf` and `deff` are provided throughout the book.

To execute a script file you must use `exec("filename")` in SCILAB, as in Matlab®, you just need to type the name of the file.

Comment lines

SCILAB comments begins with: `//`

Matlab® comments begins with: `%`

Variables

Predefined variables usually have the `%` prefix in SCILAB (`%i`, `%inf`, ...). They are write protected, i.e., they can not be redefined. Matlab® predefines variables `i` and `j` as the unit imaginary number. This predefinitions can wreck havoc in programming if you try to use `i` or `j` as index variables. Such a problem does not exist in SCILAB.

Strings

Strings are considered as 1 by 1 matrices of strings in SCILAB. Each entry of a string matrix has its own length.

Boolean variables

Boolean variables are `%T`, `%F` in SCILAB and 0, 1 in Matlab®. They correspond to the Boolean statements '`true`' and '`false`', respectively. Indexing with Boolean variables may not produce the same result in SCILAB as it does in Matlab®. For example `x=[1,2];x([1,1])` [which is NOT `x([%T,%T])`] returns `[1,1]` in SCILAB and `[1,2]` in Matlab®. Also if `x` is a matrix `x(1:n,1)=[]` or `x(:)=[]` are not valid in Matlab®.

Polynomials

Polynomials and polynomial matrices are defined by the function *poly* in SCILAB. They are considered as vectors of coefficients in Matlab®. For more details on SCILAB polynomials see Chapter 8 in this book.

Empty matrices

[]+1 returns 1 in SCILAB and [] in Matlab®.

Plotting

Except for the simple *plot* and *mesh* (Matlab®) and *plot3d*(SCILAB) functions, SCILAB and Matlab® graph functions are not compatible. In a subsequent section we introduce some SCILAB functions written specifically to emulate Matlab® function.

Scicos

SCICOS (SCILAB) and *Simulink* (Matlab®) are not compatible. *SCICOS* and *Simulink* are graphically-based, system modeling software programs. To obtain more information about *SCICOS*, visit SCILAB's main web page (<http://www-rocq.inria.fr/scilab/>).

A table of Matlab® and SCILAB equivalent functions

Most built in functions are identical in Matlab® and SCILAB. Some of them have a slightly different syntax. Here is a brief, partial list of commands with significantly different syntax.

Matlab®	SCILAB
all	and
any	or
balance	balanc
clock	unix('date')
computer	unix_g('machine')
cputime	timer
delete	unix('rm file')
dir	unix_g('ls')
echo	mode
eig	spec or bdiag
eval	evstr
exist	exists + type
fclose	file('close')
feof	
ferror	
feval	evstr and strcat
filter	rtitr
finite	(x < %inf)
fopen	file('open')
fread	read
fseek	file

ftell	
fwrite	writeb
global	
home	
isglobal	
isinf(a)	a == %inf
isnan(a)	a ~= a
isstr(a)	type(a) == 10
keyboard	pause + resume
lasterr	
lookfor	apropos
more	lines
pack	stacksize
pause	halt
qz	gspec+gschur
randn	rand
rem	modulo
setstr	code2str
strcmp(a,b)	a == b
uicontrol	
uimenu	getvalue
unix	unix_g
version	
which	whereis
nargin	[nargout,nargin]=argn(0)
nargout	

SCILAB functions that emulate Matlab® functions

For those who have used Matlab®, and for those who want to learn how to use them, SCILAB provides a number of functions that emulate Matlab® functions. These functions start with the prefix *mtlb_*. A list of the Matlab® emulating functions follows:


mtlb	mtlb_all	mtlb_any	mtlb_axes
mtlb_cell	mtlb_choices	mtlb_clf	mtlb_cumsum
mtlb_diff	mtlb_e	mtlb_eval	mtlb_exist
mtlb_eye	mtlb_fft	mtlb_filter	mtlb_find
mtlb_findstr	mtlbfliplr	mtlb_flipud	mtlb_fprintf
mtlb_fread	mtlb_fscanf	mtlb_fwrite	mtlb_get
mtlb_hold	mtlb_i	mtlb_ifft	mtlb_is
mtlb_ishold	mtlb_isreal	mtlb_length	mtlb_load
mtlb_loglog	mtlb_max	mtlb_mean	mtlb_median
mtlb_mesh	mtlb_meshdom	mtlb_min	mtlb_ones
mtlb_plot	mtlb_prod	mtlb_qz	mtlb_rand
mtlb_save	mtlb_semilogx	mtlb_semilogy	mtlb_sprintf
mtlb_sscanf	mtlb_subplot	mtlb_sum	mtlb_zeros

Out of these functions we have used *mtlb_diff* to produce table of differences in the polynomial approximations of Chapter 8 and for the first differences in time series of Chapter 18, and *mtlb_subplot* in function *multiplot* presented in Chapter 17 in relation to multiple linear regression.


Graphics functions with *mtlb_* prefix

Help for these functions is not available in SCILAB. My take on this is that SCILAB developers try to encourage the use of the equivalent SCILAB functions. However, some *mtlb_* functions, particular those related to handling of graphs, may be easier to use than their SCILAB counterparts. As an example, take functions *mtlb_loglog*, *mtlb_semilogx*, *mtlb_semilogy*, and *mtlb_subplot*. Functions *mtlb_semilogx* and *mtlb_semilogy* are intended to produce plots with logarithmic scales in *x* and *y*, respectively, while function *loglog* produces plots with two logarithmic scales. Examples of using *mtlb_loglog*, *mtlb_semilogx*, and *mtlb_semilogy*, are shown below. Function *mtlb_subplot* will be illustrated later.


```
-->x=[0.001 0.01 0.1 1.0 10. 100]; y=[20 30 40 50 60 70];  
-->mtlb_semilogx(x,y)  
-->xtitle('Logarithmic scale in the x axis','x','y')
```



```
-->x=[1:0.1:10]; y=2*x^2;  
-->mtlb_semilogy(x,y)  
-->xtitle('Logarithmic scale in y','x','y')
```




```
-->x=[0.001,0.01,0.1,1.0,10.0,100.0];y=x^3;
-->mtlb_loglog(x,y)
-->xtitle('Log-log plot','x','y')
```



The function *mtlb_subplot* can be used to produce multiple plot frames in the same window. The call to *mtlb_subplot* is

$$mtlb_subplot(m,n,j)$$

The effect of this function is to split the plot area in a window into a graphics matrix of m rows and n columns, making the sub-area j available for plotting. The values of j range from 1 to $p = m \cdot n$, with subplot $j=1$ corresponding to the upper left corner of the window, subplot $j=2$ being the next subplot to the right, $j=3$ the next subplot to the right until reaching $j=m$. Subplot $j=m+1$ is the first subplot in the second line, and so on. The position and numbering of the subplots is shown in the next sketch.




Thus, the plot at location (i,k) is subplot number $j = (i-1)m+k$. To fill the window with plots you need to call function *mtlb_subplot* a total of p times using fixed values of m and n and varying j according to the position of the plot.

An example of application of function *mtlb_subplot* is provided next in the form of a SCILAB script:

```
//Script to produce four plots in the same window
x=[0.0:0.1:1.0];y=x^2;z=sin(x)+sin(2*x);t=(1./(1+x))';r=abs(x-0.5);
mtlb_subplot(2,2,1);plot2d(x,y,-2);xtitle('Plot 1','x','y');
mtlb_subplot(2,2,2);plot2d(x,z,-1);xtitle('Plot 2','x','z');
mtlb_subplot(2,2,3);plot2d(x,t,-9);xtitle('Plot 3','x','t');
mtlb_subplot(2,2,4);plot2d(x,r,-5);xtitle('Plot 4','x','r');
```


The result of the script is shown next:



Function *mtlb_mesh*

Function *mtlb_mesh* can be used to produce a three-dimensional surface plot that emphasizes the coordinate mesh in the final plot. The function produces a plot similar to that produced with function *plot3d*.

```
-->deff('[w]=f(x,y)', 'w=sin(x)*cos(y)')
--> x=[0:0.2:6];y=[0:0.2:6]; z = feval(x,y,f);
-->mtlb_mesh(x,y,z);
```



Note: Function *mtlb_e* does not have a Matlab[®] equivalent (at least not with the name *e*). The function is intended to extract characters out of a string, for example:

```
--> a = 'tres tristes tigres'  
  
--> mtlb_e(a,[1:3])  
ans = t
```

REFERENCES (for all SCILAB documents at InfoClearinghouse.com)

- Abramowitz, M. and I.A. Stegun (editors), 1965, "*Handbook of Mathematical Functions with Formulas, Graphs, and Mathematical Tables*," Dover Publications, Inc., New York.
- Arora, J.S., 1985, "*Introduction to Optimum Design*," Class notes, The University of Iowa, Iowa City, Iowa.
- Asian Institute of Technology, 1969, "*Hydraulic Laboratory Manual*," AIT - Bangkok, Thailand.
- Berge, P., Y. Pomeau, and C. Vidal, 1984, "*Order within chaos - Towards a deterministic approach to turbulence*," John Wiley & Sons, New York.
- Bras, R.L. and I. Rodriguez-Iturbe, 1985, "*Random Functions and Hydrology*," Addison-Wesley Publishing Company, Reading, Massachusetts.
- Brogan, W.L., 1974, "*Modern Control Theory*," QPI series, Quantum Publisher Incorporated, New York.
- Browne, M., 1999, "*Schaum's Outline of Theory and Problems of Physics for Engineering and Science*," Schaum's outlines, McGraw-Hill, New York.
- Farlow, Stanley J., 1982, "*Partial Differential Equations for Scientists and Engineers*," Dover Publications Inc., New York.
- Friedman, B., 1956 (reissued 1990), "*Principles and Techniques of Applied Mathematics*," Dover Publications Inc., New York.
- Gomez, C. (editor), 1999, "*Engineering and Scientific Computing with Scilab*," Birkhäuser, Boston.
- Gullberg, J., 1997, "*Mathematics - From the Birth of Numbers*," W. W. Norton & Company, New York.
- Harman, T.L., J. Dabney, and N. Richert, 2000, "*Advanced Engineering Mathematics with MATLAB® - Second edition*," Brooks/Cole - Thompson Learning, Australia.
- Harris, J.W., and H. Stocker, 1998, "*Handbook of Mathematics and Computational Science*," Springer, New York.
- Hsu, H.P., 1984, "*Applied Fourier Analysis*," Harcourt Brace Jovanovich College Outline Series, Harcourt Brace Jovanovich, Publishers, San Diego.
- Journel, A.G., 1989, "*Fundamentals of Geostatistics in Five Lessons*," Short Course Presented at the 28th International Geological Congress, Washington, D.C., American Geophysical Union, Washington, D.C.
- Julien, P.Y., 1998, "*Erosion and Sedimentation*," Cambridge University Press, Cambridge CB2 2RU, U.K.
- Keener, J.P., 1988, "*Principles of Applied Mathematics - Transformation and Approximation*," Addison-Wesley Publishing Company, Redwood City, California.
- Kitanidis, P.K., 1997, "*Introduction to Geostatistics - Applications in Hydrogeology*," Cambridge University Press, Cambridge CB2 2RU, U.K.
- Koch, G.S., Jr., and R. F. Link, 1971, "*Statistical Analysis of Geological Data - Volumes I and II*," Dover Publications, Inc., New York.
- Korn, G.A. and T.M. Korn, 1968, "*Mathematical Handbook for Scientists and Engineers*," Dover Publications, Inc., New York.
- Kottogoda, N. T., and R. Rosso, 1997, "*Probability, Statistics, and Reliability for Civil and Environmental Engineers*," The Mc-Graw Hill Companies, Inc., New York.
- Kreysig, E., 1983, "*Advanced Engineering Mathematics - Fifth Edition*," John Wiley & Sons, New York.
- Lindfield, G. and J. Penny, 2000, "*Numerical Methods Using Matlab®*," Prentice Hall, Upper Saddle River, New Jersey.
- Magrab, E.B., S. Azarm, B. Balachandran, J. Duncan, K. Herold, and G. Walsh, 2000, "*An Engineer's Guide to MATLAB®*," Prentice Hall, Upper Saddle River, N.J., U.S.A.
- McCuen, R.H., 1989, "*Hydrologic Analysis and Design - second edition*," Prentice Hall, Upper Saddle River, New Jersey.
- Middleton, G.V., 2000, "*Data Analysis in the Earth Sciences Using Matlab®*," Prentice Hall, Upper Saddle River, New Jersey.

- Montgomery, D.C., G.C. Runger, and N.F. Hubele, 1998, "*Engineering Statistics*," John Wiley & Sons, Inc.
- Newland, D.E., 1993, "*An Introduction to Random Vibrations, Spectral & Wavelet Analysis - Third Edition*," Longman Scientific and Technical, New York.
- Nicols, G., 1995, "*Introduction to Nonlinear Science*," Cambridge University Press, Cambridge CB2 2RU, U.K.
- Parker, T.S. and L.O. Chua, , "*Practical Numerical Algorithms for Chaotic Systems*," 1989, Springer-Verlag, New York.
- Peitgen, H-O. and D. Saupe (editors), 1988, "*The Science of Fractal Images*," Springer-Verlag, New York.
- Peitgen, H-O., H. Jürgens, and D. Saupe, 1992, "*Chaos and Fractals - New Frontiers of Science*," Springer-Verlag, New York.
- Press, W.H., B.P. Flannery, S.A. Teukolsky, and W.T. Vetterling, 1989, "*Numerical Recipes - The Art of Scientific Computing (FORTRAN version)*," Cambridge University Press, Cambridge CB2 2RU, U.K.
- Raghunath, H.M., 1985, "*Hydrology - Principles, Analysis and Design*," Wiley Eastern Limited, New Delhi, India.
- Recktenwald, G., 2000, "*Numerical Methods with Matlab - Implementation and Application*," Prentice Hall, Upper Saddle River, N.J., U.S.A.
- Rothenberg, R.I., 1991, "*Probability and Statistics*," Harcourt Brace Jovanovich College Outline Series, Harcourt Brace Jovanovich, Publishers, San Diego, CA.
- Sagan, H., 1961, "*Boundary and Eigenvalue Problems in Mathematical Physics*," Dover Publications, Inc., New York.
- Spanos, A., 1999, "*Probability Theory and Statistical Inference - Econometric Modeling with Observational Data*," Cambridge University Press, Cambridge CB2 2RU, U.K.
- Spiegel, M. R., 1971 (second printing, 1999), "*Schaum's Outline of Theory and Problems of Advanced Mathematics for Engineers and Scientists*," Schaum's Outline Series, McGraw-Hill, New York.
- Tanis, E.A., 1987, "*Statistics II - Estimation and Tests of Hypotheses*," Harcourt Brace Jovanovich College Outline Series, Harcourt Brace Jovanovich, Publishers, Fort Worth, TX.
- Tinker, M. and R. Lambourne, 2000, "*Further Mathematics for the Physical Sciences*," John Wiley & Sons, LTD., Chichester, U.K.
- Tolstov, G.P., 1962, "*Fourier Series*," (Translated from the Russian by R. A. Silverman), Dover Publications, New York.
- Tveito, A. and R. Winther, 1998, "*Introduction to Partial Differential Equations - A Computational Approach*," Texts in Applied Mathematics 29, Springer, New York.
- Urroz, G., 2000, "*Science and Engineering Mathematics with the HP 49 G - Volumes I & II*", www.greatunpublished.com, Charleston, S.C.
- Urroz, G., 2001, "*Applied Engineering Mathematics with Maple*", www.greatunpublished.com, Charleston, S.C.
- Winnick, J., , "*Chemical Engineering Thermodynamics - An Introduction to Thermodynamics for Undergraduate Engineering Students*," John Wiley & Sons, Inc., New York.